## LISTING OF CLAIMS

## 1-13 (Withdrawn)

14. (Currently Amended) An ophthalmic solution comprising a therapeutically effective amount of a compound of formula  $I_{\tau:}$  as defined in Claim-1,

$$R^{1}$$
 $R^{2}$ 
 $OR^{3}$ 

or a pharmaceutically acceptable salt thereof, in admixture with a non-toxic, ophthalmically acceptable liquid vehicle, packaged in a container suitable for metered application wherein  $R^1$  is H,  $R^2$  is OH,  $R^3$  is H;

## W is 0;

R is selected from the group consisting of  $CO_2R^4$ ,  $CONR^4_2$ ,  $CH_2OR^4$ ,  $CONR^4SO_2R^4$ , and  $P(O)(OR^4)$ ;


Y is a covalent bond or is selected from the group consisting of  $CH_2$ , O, S and N; and

Z is heteroaryl a heterocyclic aromatic radical having from four to ten carbon atoms and including a heterocyclic atom selected from the group consisting of nitrogen, oxygen and sulfur.

15. (Original) The ophthalmic solution of Claim 14 wherein said compound is a compound of Formula III

16-20 (Withdrawn)

21. (Currently Amended) The A compound represented by formula I:



wherein the wavy segment represents an  $\alpha$  or  $\beta$  bond, a dashed line represents the presence or absence of a bond,

 $R^1$  is H,  $R^2$  is OH,  $R^3$  is H;

W is O;

R is selected from the group consisting of  $CO_2R^4$ ,  $CONR^4_2$ ,  $CH_2OR^4$ ,  $CONR^4SO_2R^4$ , and  $P(O)(OR^4)$ ;

 $\underline{Y}$  is a covalent bond or is selected from the group consisting of  $\underline{CH_2}$ , 0, S and N; and

Z is heteroaryl a heterocyclic aromatic radical having from four to ten carbon atoms and including a heterocyclic atom selected from the group consisting of nitrogen, oxygen and sulfur.

22. (Currently Amended) The compound of claim  $\underline{2}1$  wherein said compound is represented by formula II:

wherein the hatched segment represents an  $\alpha$  bond and the solid triangle represents a  $\beta$  bond.

23-30 (Withdrawn)

31. (New) The solution of claim 14 wherein Z is wherein U is selected from the group consisting of O and S, A is

selected from the group consisting of N,

-CH, and C,  $\mathbb{R}^5$  is selected from the group consisting of hydrogen, halogen, lower alkyl having from 1 to 6 carbon atoms, and lower alkoxy having from 1 to 6 carbon atoms,  $\mathbb{R}^6$  and  $\mathbb{R}^7$  are selected from

the group consisting of hydrogen, halogen, lower alkyl having from 1 to 6 carbon atoms, lower alkoxy having from 1 to 6 carbon atoms or, together with


,  $\mathbb{R}^6$  and  $\mathbb{R}^7$  forms a condensed aryl ring.

32. (New) The solution of claim 31 wherein Z is chlorobenzothienyl.

33. (New) The compound of claim 21 wherein Z is

wherein U is selected from the group consisting of O and S, A is selected from the group consisting of N,

-CH, and C,  $\mathbb{R}^5$  is selected from the group consisting of hydrogen, halogen, lower alkyl having from 1 to 6 carbon atoms, and lower alkoxy having from 1 to 6 carbon atoms,  $\mathbb{R}^6$  and  $\mathbb{R}^7$  are selected from the group consisting of hydrogen, halogen, lower alkyl having from 1 to 6 carbon atoms, lower alkoxy having from 1 to 6 carbon atoms or, together with



,  ${\tt R}^6$  and  ${\tt R}^7$  forms a condensed aryl ring.

34. (New) The compound of claim 33 wherein  ${\tt Z}$  is chlorobenzothienyl.